

# DART SERVICE INSTRUCTION

## TO AMEND INSTALLATION INSTRUCTIONS IIN-D119-696 REV. A AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D119-696 REV. 0

REF FAA STC: SR01043SE

REF TC LETTERS OF ACCEPTANCE: C-11-0119/-0120/-0121

REF EASA STC: EASA.IM.R.S.01551

### PURPOSE

This service instruction details the D119-696-011/-013 Cargo Mirror Installations at CHG 006 which have been improved with D4450-1/-043 Arm/Arm Assembly. The D4450-1/-043 replaces D3074-1/-3 and feature a more robust and ergonomic design. Customers/operators who wish to upgrade existing D119-696-011/-013 Cargo Mirror Installations at earlier change numbers may procure the DSI-9578-011/-013 Kit from Dart. The revised weight and balance and parts list on page 2 of this service instruction are to be used for D119-696-011/-013 Cargo Mirror Installations at CHG 006.

### INSTALLATION

#### Replacement of D3074-1 arm on D119-696-011 Single Mirror Installation:

1. Remove and discard existing D3074-1 Arm and existing D2057 Plug.
2. Install D4450-1 Arm and replacement D2057 Plug in accordance with Figure 1 of this service instruction.
3. Install D2011-101 Mirror to D4450-1 Arm using D3014-1 Locknut as shown in Figure 1 of this service instruction.

#### Replacement of D3074-3 Arm on D119-696-013 Dual Mirror Installation:

1. Remove and discard the existing D3074-3 Arm and associated parts/hardware. Note that the D3074-3 Arm also includes 2 X D2052 Brackets, 2 X D2055 Clamps, a D2056 Bellcrank, 2 X D2054 Bushings, and attaching hardware.
2. Install D4450-043 Arm Assembly in accordance with Figure 1 of this service instruction.
3. Install 2 X D2011-101 Mirrors to D4450-043 Arm Assembly using D3014-1 Locknuts as shown in Figure 1 of this service instruction.

### MAINTENANCE AND CONTINUED AIRWORTHINESS

Inspection requirements for D4450-1/-043 Arm are identical to D3074-1/-3 Arm they are replacing. Refer to ICA-D119-696.

### WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D119-696-011	2.3 lb	7.0 in	16.1 in-lb	22.0 in	50.6 in-lb
Cargo Mirror Installation (CHG 006)	1.04 kg	0.18 m	0.19 m-kg	0.56 m	0.58 m-kg
D119-696-013	3.2 lb	1.0 in	3.2 in-lb	22.0 in	70.4 in-lb
Cargo Mirror Installation (CHG 006)	1.45 kg	0.03 m	0.04 m-kg	0.56 m	0.81 m-kg

A	NEW ISSUE	MB	11.10.04
REV.		BY	DATE
DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		DSI 9578	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR ARM UPGRADE	NTS
DATE	11.10.04	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

# PARTS LIST

Qty -011	Qty -013	Qty -041	Qty -043	Part Number	Description
X				D119-696-011	SINGLE CARGO MIRROR INSTALLATION
	X			D119-696-013	DUAL CARGO MIRROR INSTALLATION
1		X		D119-696-041	SINGLE CARGO MIRROR ASSEMBLY
	1		X	D119-696-043	DUAL CARGO MIRROR ASSEMBLY
		1	2	D2011-101	MIRROR ASSEMBLY
1	1			D2053	BRACKET
		2	**2	D2054	BUSHING
		2	**2	D2055	CLAMP
		1	**1	D2056	BELL CRANK
		1		D2057	PLUG
1	1			D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		*1	*2	D3014-1	LOCKNUT
		1	**1	D3072-1	BRACKET
		1	**1	D3072-2	BRACKET
1	1			D3083-1	PLACARD
		1		D4450-1	ARM (WAS D3074-1)
			1	D4450-043	ARM ASSEMBLY (WAS D3074-3)
4	4			AN526-1032R9	SCREW
4	4	6	**6	AN960JD10	WASHER
		*1	*2	AN960JD416L	WASHER
		3	**3	MS21042L3	NUT (or MS21042-3)
2	2			MS21919DG5	CLAMP
4	4			MS27039-1-09	SCREW
		3	**3	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
2	2			AKS7-1032-130	INSERT (or ALS7-1032-130 or AKS4-1032-130 or ALS7-1032-130 or AELS-032-130)


\* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

\*\* INCLUDED WITH D4450-043 ARM

Qty -011	Qty -013	Part Number	Description
X		DSI-9578-011	MIRROR ARM UPGRADE KIT (SINGLE CARGO MIRROR INSTALLATION)
	X	DSI-9578-013	MIRROR ARM UPGRADE KIT (DUAL CARGO MIRROR INSTALLATION)
	**2	D2054	BUSHING
	**2	D2055	CLAMP
	**1	D2056	BELL CRANK
1		D2057	PLUG
	**1	D3072-1	BRACKET
	**1	D3072-2	BRACKET
1		D4450-1	ARM
	1	D4450-043	ARM ASSEMBLY
	**6	AN960JD10	WASHER
	**3	MS21042L3	NUT (or MS21042-3)
	**3	MS27039-1-18	SCREW

\*\* INCLUDED WITH D4450-043 ARM

DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		DSI 9578	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR ARM UPGRADE	NTS
DATE	11.10.04	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



**FIGURE 1**

D119-696-011/-013 SINGLE/DUAL MIRROR INSTALLATION

DESIGN		<b>DART AEROSPACE USA, INC</b> KENT, WA
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	11.10.04	
		DRAWING NO. DSI 9578 REV. A SHEET 3 OF 3 TITLE MIRROR ARM UPGRADE SCALE NTS

THIS DOCUMENT IS PROVIDED FOR INFORMATION ONLY. IT IS NOT TO BE USED FOR ANY PURPOSE OR CONTAINED HEREIN WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.  
 COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.